



Universal Desktop Mounts

Virtually Limitless Viewing Flexibility and Maximum Work Area

peerless®



TILTS AND PIVOTS
To provide virtually limitless viewing angles

PERFECT MONITOR POSITION
Move the screen to the ideal height with one smooth motion

CABLE MANAGEMENT
Delivers a clean clutter-free look to any installation

MOUNTING OPTIONS FOR ALL SURFACES
Desk clamp and desk bolt available

LCT-A1B1C SHOWN

Perfect Monitor Positioning

It is quick and simple to position the monitor to the user's ideal viewing point and maximize work area when it is mounted on one of these five desktop mounts model. Each of the five models is ergonomically designed and features smooth motion, spring-loaded architecture for the easiest height, depth and tilt adjustment of the monitor, assisting with reduced eye and neck strain.

Universal Desktop Mounts

LCT-A1B1C/H
Two-link Articulating Arm
for monitors 15" - 24"
(38 - 61 cm)



LCT-A1B2C/H
One-link Pivot Arm
for monitors 15" - 24"
(38 - 61 cm)



LCT-A1B3C/H
Two-link Articulating Pole
for monitors 15" - 24"
(38 - 61 cm)



LCT-A1B4C/H
Two-link Dual Articulating
Desktop Arm
for monitors 15" - 24"
(38 - 61 cm)




LCT-A1B5C/H
One-link Pivot Pole
for monitors 15" - 24"
(38 - 61 cm)



LCT-A1B6C/H
Two-link Articulating Pole
for monitors 15" - 24"
(38 - 61 cm)



Universal Articulating and Pivot Desktop Mount Specifications

Model	Screen Size	Monitor Tilt	Base Arm Tilt	Extension Arm Tilt	Swivel*	Adjustable Pole Height	Mounting Option	VESA® Mounting Pattern 
LCT-A1B1H	15" - 24" (38 - 61 cm)	20°/-30°	20°/90°	0°/-90°	360°	NA	Hole	75/100 mm
LCT-A1B1C	15" - 24" (38 - 61 cm)	20°/-30°	20°/90°	0°/-90°	360°	NA	Clamp	75/100 mm
LCT-A1B2H	15" - 24" (38 - 61 cm)	20°/-30°	20°/90°	NA	360°	NA	Hole	75/100 mm
LCT-A1B2C	15" - 24" (38 - 61 cm)	20°/-30°	20°/90°	NA	360°	NA	Clamp	75/100 mm
LCT-A1B3H	15" - 24" (38 - 61 cm)	20°/-30°	NA	20°/90°	360°	14" (366 mm)	Hole	75/100 mm
LCT-A1B3C	15" - 24" (38 - 61 cm)	20°/-30°	NA	20°/90°	360°	14" (366 mm)	Clamp	75/100 mm
LCT-A1B4H	15" - 24" (38 - 61 cm)	20°/-30°	20°/90°	NA	360°	14" (366 mm)	Hole	75/100 mm
LCT-A1B4C	15" - 24" (38 - 61 cm)	20°/-30°	20°/90°	NA	360°	14" (366 mm)	Clamp	75/100 mm
LCT-A1B5H	15" - 24" (38 - 61 cm)	20°/-30°	NA	NA	360°	9" (236 mm)	Hole	75/100 mm
LCT-A1B5C	15" - 24" (38 - 61 cm)	20°/-30°	NA	NA	360°	9" (236 mm)	Clamp	75/100 mm
LCT-A1B6H	15" - 24" (38 - 61 cm)	20°/-30°	NA	NA	360°	14" (365 mm)	Hole	75/100 mm
LCT-A1B6C	15" - 24" (38 - 61 cm)	20°/-30°	NA	NA	360°	14" (365 mm)	Clamp	75/100 mm

* removing swivel stop enables 360° swivel motion

Universal Articulating and Pivot Desktop Mount Accessories

ACC918

Security Fasteners

